



Catalog 2023

Lifting & Handling | Measure & Control
Height Safety

Export



www.tractel.com

Tractel® is a world leading safety specialist providing reliable, innovative and cost-effective working-at-height solutions and services. These solutions are used in many end-user applications, in particular in industrial, construction, energy, telecoms and infrastructure projects..

Tractel® solutions portfolio comprises of:

- **Height Safety** - Leading provider of working-at-height personal protective equipment – fall arrest devices (Stopfor™, Blocfor™, Derope™), anchors, harnesses - as well as collective protective equipment, such as guardrails, (Bluewater™), safety gates (Fabenco™) and safety nets (Knot®).
- **Load Measurement & Control** - European leader in industrial load measurement and control – Dynafor™, Handifor™, Dynasafe™, Dynaline, Dynarope, and Dynaplug.
- **Lifting & Handling** - World leader in pass-through manual wire rope hoists (Tirfor®) and pass-through electrical wire rope hoists (Tirak™, Minifor™), clamps, pulleys and hooks, as well as ground handling equipment.
- **Temporary & Permanent Access** - World leader in hoists (Tirak®) and aluminium platforms (Alta, Skysafe™), mast climbing work and transport platforms and construction elevators (Scandclimber®), Building maintenance units and permanent access solutions for industry, infrastructure and buildings.
- **Services** - In-situ inspection and maintenance services for permanent access equipment, workshop maintenance and general overhauls of mechanical equipment, as well as training and rental services.



Established more than 80 years ago, **Tractel®** today has significant manufacturing facilities in Europe (France, Germany, Poland, Spain), the USA (Minneapolis, Houston), Canada (Toronto, Montreal), China (Shanghai), Singapore and Turkey. These facilities are supported by dedicated centres of excellence in R&D, engineering and safety standards.

Tractel® has customers in 120 countries, subsidiaries in 19 countries, 10 000 distributors around the world, and employs around 1 100 peoples.

This network of expertise, experience and geographical locations allows **Tractel®** to achieve global reach with local presence..



ESG – Environmental, Social and Governance Policy


The Tractel Group has set-up an ambitious Environment, Social and Governance (ESG) policy. Our ESG policy commits us collectively to do more for people, society and the environment. We are convinced that those who share our ambition, be they customers, suppliers, shareholders or employees, will join us in this positive dynamic.

Our ESG policy was designed taking into account, among others, the European Non-Financial Reporting Directive, the upcoming Corporate Sustainability Reporting Directive (CSRD) and the UN Sustainable Development Goals.

Our ESG policy covers 11 focus areas that are grouped in 4 main pillars.



We set our priorities based on the dual materiality analysis shown below.



All 11 areas are covered by a detailed action plan, shared with, and owned by, company managers.

Our results are measured by 32 KPIs, ranging from CO2 emissions to work accidents and complaints-handling times. Each has a target by 2025.

SALES ORGANISATION

All our products are meant for professional use only.

Minimum value per order € 100 Net. Our supplies are manufactured according to the terms shown on our order acknowledgment, a copy of which is available on request. We reserve the right to modify, without prior notice, the characteristics, the equipment, the prices and Sales Conditions of our products. Our delivery time will be indicated on our order acknowledgment.

EXPORT DEPARTMENT

(sales and marketing)

Sales Export director

Phone: +352 43 42 42 654

Email: nikolaas.mertens@tractel.com

Export Sales back office

Phone: +352 43 42 42 652

Emails: elodie.alexandre@tractel.com - leon.daenen@tractel.com

Sales Europe

Phone: + 352 43 42 42 653

E mail: michael.derler@tractel.com

Sales Middle East & Central Asia

Phone: + 352 43 42 42 654

E mail: julie.melchior@tractel.com

Sales Africa

Phone: + 352 43 42 42 654

E mail: julie.melchior@tractel.com

Sales Asia & Pacific

Phone: + 65 881 05 735

E mail: romain.ricard@tractel.com

Sales South America

Phone: + 352 43 42 42 654

E mail: nikolaas.mertens@tractel.com

SALES ADMINISTRATION

(invoicing, logistics and delivery)

Sylvie Brie (Head of department)

+333 25 210 716

Dolorès Parisotto (Middle East, Africa)

+333 25 210 715

Florence Merat (Europe, South of America, Asia)

+333 25 210 714

Doriane Ly

+333 25 210 814

Product ranges


Height Safety Products & Systems



Load Measurement and Control



Lifting and Handling



Temporary & Permanent Access



Traceability platform

Instant access to key product information

Introducing **Tractel**®'s new product information and traceability platform – an exciting new tool giving you instant access to a range of technical information related to your product.

Simply use a QR code reader to scan the identification label on the product or packaging to gain access to the information you need; direct to your phone, tablet or computer.



Packaging product label
(on packaging)




Product label
(on product)



EAN Code label
(on packaging)

Instant access to:

- **Product Identification information** (batch & serial number, manufacturing date etc).
- **Product Data** (available to download to your device):
 - Certificate of Conformity (Notified body product certificate)
 - User manual
 - Technical data sheet
 - Declaration of conformity
- **Traceability system**
 - TRACTEL® service information : summary of service performed by TRACTEL®
 - Possibility to register & trace the key life events of the equipment: date of the first use, attribution of the equipment to a user, periodic inspection, maintenance operation, disposal, etc...



Traceability platform

How to use it ?

- 1 Download a free QR code scanner on your smartphone, tablet or computer.




Example :
QR Code Reader for Android

- 2 Open the QR Code Scanner app and scan the code on the packaging or product.



You will be redirected to a special Tractel® website with a webpage dedicated to your product.

- 3 Find all the relevant information of the product you scanned.



Available downloads in PDF format:


- Identification information of the product: batch & serial number, manufacturing date.
- Certificate of Conformity (Notified body product certificate)
- User manual
- Technical data sheet
- Declaration of conformity

- 4 Register to have immediate access to advanced functionalities.



- Details to create an account:
 - Name
 - E-mail address
- Create a password to secure your account.

- 5 Enter and track the key life information of your product.



- Date of the first use
- Attribution of the equipment to a user
- Periodic inspection
- Maintenance Operation
- Disposal

Summary

1 - GENERAL INFORMATION

2: Contacts

3: Product ranges

4: Traceability platform



7 - LIFTING AND HANDLING

10: Wire rope hoists

80: Chain hoists

105: Clamps

134: Lifting beams

150: Fall arresters

153: Floor handling equipment



155 - MEASUREMENT & CONTROL

156: Dynafor


167: Dynasafe

171: Displays

172: DMU

173: Dynarope

175: Anchor tester plate



176 - HEIGHT SAFETY PRODUCTS

182: PPE kits

190: Harnesses

210: Accessories

218: Fall arresters

243: Lanyards

251: Connectors

257: Anchors

272: Confined space

292: Lifelines

311: FABA

319: Rescue

323: Rope access

330: Guardrail

1. Lifting and handling



General safety recommendations

For lifting and load handling

For every use of lifting gear, it is mandatory to respect the safety instructions.

The rules outlined below refer to the right safety approach but don't replace the user manual's instructions of each lifting product.

The lifting operations must be carried out by trained operators.

Tractel® lifting gear provide optimum safety if handled properly.

What to do

- Verify the working load limit of your lifting gear, lifting accessories, different anchoring solutions and supporting structure.
- Verify that the lifting gear is in perfect condition and foreseen of a readable product label.
- Check the load lifting chain on possible damage
- Ensure the right load suspension and its accessories
- Carry out the periodical product inspections.
- Respect recommendations for stocking properly your gear.

What you should not do

- Starting the lifting operation while the load is not fixed properly or when persons are located in the working area.
- Balancing the load during lifting operations.
- Lifting/lowering the load without verification of the lifting speed.
- Have the load suspended during long extended periods.
- Move under loads.
- Drop lifting gear : hoists and winches should always be placed correctly on the floor.
- Modify one or more components of your lifting gear.



Advise - Audits - Assistance

Manage the safety and reliability of your lifting gear as well its compliance with legal requirements.

Legal and regulatory framework :

Because the best way to limit the risk is to anticipate it ...

Load lifting equipment can generate serious risks for everybody's safety.

Tractel® service approach

Tractel® accompagnies you with the safety management of your working environment.

Periodical inspections are aimed to maintain your lifting gear in good condition and are not intended to verify the compliance with the design rules. Therefore, the periodic inspection reports are not the reflection of the evaluation of the conformity with the regulation.


Approach Tractel® :

- Presentation of services by Tractel®
- Inventory review of the lifting gear
- Visit of the technical workshop
- Audit of the lifting gear and its working environment
- Verification and analysis of the safety logbook and the last audits of third party inspection agencies
- Proposal of actions to be carried out

In order to enable Tractel® to proceed at best to this audit, the auditee shall provide the following elements:

- List of the lifting gear
- Competent staff for the operation of the lifting gear
- The following documents: logbook, service records, user manuals, last audit reports from third party inspection agencies

Fall arresters



Blocmat load arrester

Blocmat S (Ceiling Assembly) and Blocmat SI (Floor Assembly)

Automatic wire rope load arrester with an integrated drum reeler.

The Blocmat is an automatic wire rope load arrester with an integrated drum reeler. A falling load will be arrested within 10 cm by the Blocmat. It is easy to carry out a functional test and to manually release and reset the load arrester. After activation, release, and reset the system can immediately be used again.

Available models in the Blocmat series:

- S - Ceiling assembly
- SI - Floor assembly (to be used with additional sheave)

Features Blocmat S Ceiling assembly and SI Floor assembly:

- Very limited fall (<100 mm)
- Triggering speed 30m/min
- Automatic winding of wire rope
- Very robust and durable
- Easy to use
- Manual test function
- Capacity up to 1,000 kg
- Complies with the 2006/42/EC standard



Model	WLL	Wire Rope Length (m)	Wire Rope Diameter (mm)	Weight (kg)	Product Code
S 500/15	500	15	6.5	29	47329
S 500/20	500	20	6,5	38	47339
S 500/25	500	25	6,5	40	47349
S 800/10	800	10	8,4	35	47359
S 800/20	800	20	8,4	43	47369
S 1000/8	1,000	8	9,5	33	47379
S 1000/12	1,000	12	9,5	39	47389
S 1000/25	1,000	25	9,5	46	75399
SI 500/15	500	15	6.5	28	47269
SI 500/25	500	25	6.5	39	47279
SI 800/15	800	15	8,4	36	47289
SI 800/25	800	25	8,4	42	47299
SI 1000/10	1,000	10	9,5	29	47309
SI 1000/25	1,000	25	9,5	44	47319

Made in France

Blocmat TSD


The Blocmat TSD: An advanced self-retracting load fall arrest solution. Equipped with the innovative TSD system (Top System Dissipator), the Blocmat TSD guarantees a falling load of less than 650daN, even if the load drops when the cable is fully unwound.

The Blocmat TSD is available in two lengths: 10m and 18m, both with a Working Load Limit (WLL) of 250kg. It offers a number of advantages over traditional fall arrest systems. Its integration of the TSD system at the top of the device eliminates the risk of a violent shock, while its optimised design allows for simplified maintenance. In addition, the Blocmat TSD has a very good grip for transport and installation, making it easy to use in any work environment.

Trust the Blocmat TSD to keep your equipment and personnel safe and secure. Contact us to learn more today.

Modèle	CMU (kg)	Dimensions (mm)	Longeur câble (mm)	Ø câble (mm)	Vitesse (m/min)	Poids (kg)	Code produit
Blocmat 10 TSD	250	697 x 194 x 95	10	4,9	35	5,9	279479
Blocmat 18 TSD	250	855 x 262 x 110	18	5	35	9,6	279489

Made in France



1. Housing
2. Anchorage on structure
3. Anchorage to load
4. End stop
5. Identification label
6. Handle
7. Shock absorber

Material-only load arrester



Modèle	CMU (kg)	Code produit
BSO 500 P	600	291569
BSO 1020 P	800	291609
BSO 1030 P	1,000	291639
BSO 1040 P	1,200	291669
BSO 2050 P	2,000	291699
BSO 3060	3,000	291989

The Blocstop BSO can be used in numerous areas like a load arrester for material transportation (i.e. opening and closing of a garage door, lifting of valuable material load, protection for a sensible ground surface underneath the load....)

BSO – Blocstop operating by overspeed detection :

If the movement of the safety rope exceeds a specified speed then the BSO triggers automatically and securely catches the load. The safety rope is held between the clamping jaws, preventing the rope from slipping any further. However, the surface of the clamping jaws is large enough to prevent damage to the rope. The Blocstop BSO is designed in such a way that the clamping jaws grip tighter, the higher the load on the rope.

Furthermore, the Blocstop BSO has been tested using many times the nominal load in order to ensure an extremely large safety margin.

We are constantly working to improve our products.

Features Blocstop BSO :

- Very robust and durable
- Small, light and compact
- Manual test function
- Capacity up to 3,000 kg
- Complies with the 2006/42/EC standard

Floor Handling Equipment



Floor Handling Equipment

Pakrol skates and trolley skates

Pakrol™ skates and trolley skates are designed for easy and smooth transport of heavy loads across a flat and smooth floor.

The floor should be checked to ensure it has sufficient load-carrying capacity and if necessary flat steel plates should be used to carry the Pakrol™ and load.

The Pakrol™ skates and trolley skates can be used in combination to move loads from 2000kg to 20000kg.

- WLL 2000kg to 20000kg
- Robust construction
- A modular system to steer and move loads
- Trolley skates have turntables
- Skates can be joined together to increase capacity
- Nylon or PU rollers with ball bearings
- The load can be pulled and steered by the drawbar
- The floor must be completely smooth and flat in order to move the loads.

Model	WLL	No. of Wheels	Description	Product Code
Skate 2t NY	2	2 / NY	2 wheel nylon skate	50149
Skate 4t NY	4	4 / NY	4 wheel nylon skate	50159
Skate 6t NY	6	6 / NY	6 wheel nylon skate	50169
Trolley skate 4t NY	4	4 / NY	4 wheel nylon trolley skate	50179
Trolley skate 6t NY	8	8 / NY	8 wheel nylon trolley skate	50189
Connection bar	-	- -		74517



Floor Handling Equipment




Top mechanical toe jacks

The Top mechanical toe jacks have a back and forth action on the handle to allow them to be operated in confined spaces.

With 100% capacity on both head and toe the Top jacks are designed for ultimate usage and can be operated in either vertically or horizontally.

- WLL 1.500 kg to 10.000 kg
- Robust steel construction
- Vertical and horizontal operation
- Load capacity 100% on the head or toe
- Crank with folding handle
- Back and forth action on the handle

Model	WLL	Lifting Height (m)	Max effort of the handle	A	B	C	D	E	F	G	H	K	R	T	Weight (kg)	Product Code
BT 1,5	1.5	300	30	81	100	600	70	55	46	110	225	147	119	113	18	196478
BT 3	3	355	35	83	130	735	70	60	45	138	249	168	129	130	20	196488
BT 5	5	345	40	108	140	735	80	71	68	170	249	190	146	130	28	196498
BT 10	10	390	58	124	140	800	100	86	76	170	300	250	168	239	46	196508



Hydrofor hydraulic toe jack

- WLL 5000kg to 25000kg
- Heavy duty operations from one of the lightest jacks on the market
- Vertical and horizontal functionality
- Full lifting capacity on head or toe
- Pressure limit device prevents overload for safe operation
- Screw release valve for easy and controlled lowering
- 360 degree swivel of the jack body for ease of positioning
- Handle rotates through 180 degrees

Model	WLL	A	B	C	D	E	F	G	Max effort of the handle	Weight (kg)	Product Code
H5	5	368 - 573	745	140	213	Ø93	25	205	450	20	243269
H10	10	420 - 650		170	205	Ø103	30	230	500	28	243279
H25	25	505 - 720	1305	210	420	155 x 155	58	215	450	109	79909

GENERAL CONDITIONS OF SALE AND SERVICE

GENERAL CONDITIONS OF SALE AND SERVICE v. 02.2020

1 – DRAWING UP OF THE AGREEMENT

Any order implies from the buyer, the acknowledgement by the buyer that he gets all required information to the conclusion of the agreement and the acceptance of the present terms. Therefore, no clause to the contrary may be set up against the seller if he has not formally accepted it in writing and notably all the general terms sent earlier by way of circular letters.

Unless otherwise specified, seller's quotation shall expire thirty (30) days from its date.

The sale agreement is perfect only after written acceptance by the seller of the buyer's order, or if not by the delivery.

An order which is accepted cannot be cancelled without the seller's prior and express consent.

2 – SPECIFICATIONS CONCERNING THE SUPPLY

The specifications mentioned in the seller's catalogues, price lists, leaflets and all advertising documents are for information purposes only. The seller reserves the right to carry out all changes he may consider appropriate on his models, even after acceptance of the orders, without, however, the essential specifications and performance being affected.

3 - PRICES Prices are understood in Euros free of any discount, taxes, or insurance for non packaged goods, ex-works (EXW Incoterms® ICC in force at the date when the contract is made).

Any possible costs for packaging, loading and conveying from the factory to the place of delivery shall be born by the buyer, unless otherwise agreed in writing.

4 - PAYMENTS Save exception specified in the special terms appearing on the front page, the price is payable at the seller's head office as follows:

- * part with the order (down payment)

- * the balance by accepted draft 30 days from the date of invoicing.

The payment of the down payment with the order does not in any way entitle the buyer to retract in return for giving up his down payment which, in the event of cancellation of the order, remains acquired to the seller as a compensation, subject to all other rights.

5 - SETTLEMENT

5.1 – The non-payment entails the event of default and causes that all debts even not outstanding ones are immediately due.

5.2 – Penalties for delay and compensation for recovery costs

In the event the special terms specify a deferred payment and that one of the due dates is not observed, the buyer by right and without a prior formal demand, shall lay open to penalties for delay which will be the result of the application of a rate equal to three times the rate of French legal interest.

In addition to penalties for delay, and due to late payment, the buyer, de jure and without prior formal demand, shall pay recovery costs equal to 40 euros. The seller will be entitled to obtain compensation from the buyer for any recovery costs exceeding that fixed sum and incurred due to the buyer's late payment.

5.3 - Penalty clause

By express agreement, the non payment on the due date shall entail, as a penalty clause, a compensation of 15% of the amounts due, plus the interest set in the agreement and any possible costs of litigation.

5.4 – Retention of title and risk of loss

The products, subject-matter of the present order, shall remain by formal agreement the seller's property until full payment of the agreed price, and all means of payment: cheques, drafts or other negotiable instruments shall be considered as payment only after the actual collection of their amount by the seller.

During the period between the delivery and the full payment of the price, the buyer, by formal agreement, shall only be considered as the simple depository of the products, the buyer shall have to pay the price on agreed due dates, or failing payment of a single payment, to pay the full price or, to return the products, or if not he shall incur the penalties provided for by the law.

As an exception to article 1196 of the French Code of Civil Law, the delivery itself shall place the products at the buyer's risks despite the fact the latter is only the depository until full payment is made.

On account of his capacity of simple depository until the full payment of the price, the buyer to whom the products are delivered will not be entitled to resell them or to alienate them by any mean, including by way of contract of pledge, security or otherwise.

However, he may:

- Either, after prior agreement of the seller and under its entire liability, have its buyer pay directly the product subject-matter of the present agreement to the seller.

- Or assign the benefit and the charges resulting from the present agreement, but on the formal condition of informing its assignee under its own liability that the products are subject to a reservation of title clause and that himself is only the depository until full payment of their price, in such a manner that said assignee has himself only the capacity of depository until the payment, and that the seller may be able to claim from him the payment or the return, if the amount of the price is not paid in whole on the date due.

GENERAL CONDITIONS OF SALE AND SERVICE

TRACTEL SAS GENERAL CONDITIONS OF SALE AND SERVICE v. 02.2020

6 – DELIVERY TIME & DELIVERY

6.1 – Delivery means the placing at disposal of the product on the site notified by the seller.

6.2 – The delivery time is the date entered by the seller on its acknowledgment of receipt of the order.

6.3 – Delivery times are given for information purposes and without commitment. The seller commits to deliver promptly the goods to the buyer provided that the seller gets all the information and documents required for the performance of the contract.

6.4 – It is expressly agreed that the seller shall owe no compensation for delay, except in the event of deliberate tortious intent.

6.5 - a) The buyer shall take delivery of its product(s) in the seller's premises within 30 days following the notification of the seller that the product(s) are ready for delivery.

b) At the end of this 30-day period, and after a formal demand by registered letter with advice of delivery sent to the buyer to remove the product(s) IMMEDIATELY, the seller shall be entitled to force the buyer to perform its obligations, notably to make the payments, the delivery being considered as made; in this case the seller shall store the products at the buyer's risks.

c) After the time-limit provided for in article b), the seller shall be able, if it deems this appropriate, to consider the agreement as terminated by the buyer, the payments received from the latter being acquired to him without prejudice of any other rights, and notably the seller shall be entitled to demand as a penalty clause the payment of a compensation equal to 15% of the sale price of the equipment. The seller shall then, after advising the buyer by registered letter, use the products as it wishes.

d) The products are delivered with their instructions manual for use; the user shall read them before using the products. The buyer shall check and see if he has the documents, if not it shall contact the seller to get them.

e) Acceptance: Without any written claims within 30 days following the date of delivery, the product shall be considered as without any visible defects and accepted.

7 – TRANSPORT AND INSURANCE

The steps the seller may be led to take in the interest and on behalf of the buyer as regards insurance, transport, do not prevail against the principle of the delivery in the factory or store of the seller.

The fact of possibly including the transport cost in the price does not constitute an exemption to the principle of the delivery made in the factory or the store of the seller. Any transport made by the seller itself, whether the costs are to be paid for by the buyer or not, is considered as made according to a contract of carriage separate from the sale agreement.

If there are no instructions, the seller dispatches the goods in the best interests of the buyer.

In all cases, it is up to the buyer to check everything, to make all reservations upon the arrival of the product and to lodge, if the need arises, against the carrier the appeals, which must be lodged within 3 days following the acceptance, provided for by articles L133-1 and L133-3 of the French commercial Code; should these formalities not be complied with, the carrier's liability may not be implemented and the seller cannot in any case be sued for this reason.

8 - WARRANTY

Term and extent of the Warranty

8.1 – All products are covered against defects in material and construction faults for a period of twelve (12) months from the date appearing on the delivery slip.

8.2 – (i) This warranty is strictly limited, after examination of the product by the seller and to suit its convenience, to the repair or replacement of the product recognized as defective, with the express exclusion of all accessory costs. (ii) Are only covered by the warranty the cost of replaced parts and labour used. Travel costs and hotel expenses for the personnel on the user's site as well as transport costs of the product concerned at the seller's factory and return are to be paid for by the beneficiary of the warranty.

8.3 – The warranty does not cover the damage resulting from bad assembly, insufficient maintenance, or normal wear. It does not apply to paints and coatings.

8.4 – Any defect bringing into play the seller's warranty must, failing forfeiture, be declared to the seller, with the invoice corresponding to the purchase of the product in question and all supporting documents.

8.5 – Exchanges or repairing of parts covered by the warranty cannot extend the warranty.

8.6 – The warranty will be removed from any product which is modified, altered, repaired outside the seller's workshops without the seller's prior written approval.

8.7- The seller's liability is expressly limited to the above-mentioned warranty.

8.8 – An action to enforce the warranty cannot justify any delay in payments.

9 – LIABILITY

Under no circumstances, shall the seller be held to indemnify the consequential direct or indirect damage or contingent damage, notably any operating losses, loss of profits or loss of earnings. The liability of the seller, all causes taken into account with the exception of bodily injuries and gross negligence, is limited to a sum with an upper limit fixed at the amount invoiced and collected of the supply alleged defective.

The buyer is responsible for the waiver in contract against the seller or its insurers beyond the limits and exclusions fixed above.

GENERAL CONDITIONS OF SALE AND SERVICE

TRACTEL SAS GENERAL CONDITIONS OF SALE AND SERVICE v. 02.2020

10 – SERVICE PERFORMANCE

The scale of service performance of the seller is understood exclusive of travel and hotel costs. The estimates for repairs of the seller not followed by an order are payable and include the operations of dismantling, reassembly and trips. Without a reply from the buyer within 30 days from the date appearing on the estimate, the equipment shall be returned as such, transport costs to be paid for by the buyer.

The customer agrees to place at the disposal of the seller a place required for the operation as well as the required means of lifting, handling and trial.

The seller reserves the right to take into account the weather conditions on the site and accept no responsibility for any possible delays due to these conditions or to the non conformity of the site with the public health and safety conditions. Under no circumstance will the seller's liability be sought for the consequences of equipment which stops operating while it intervenes.

The customer must make sure of the solidity of supports, anchoring or props of the equipment set up; it has the responsibility of checking the solidity and the conformity with safety rules.

11 – FORCE MAJEURE

The Parties shall not be held responsible for any delay or failure to execute one of its obligations within the scope of the contract should the delay or failure be the direct or indirect result of a case of force majeure, which is defined as an event beyond the control of the Parties and independent from their will, including but not limited to cyber-attack, civil conflict, revolution, war, acts of God, occurrence of a natural catastrophe and extraordinary weather.

Should the event of Force Majeure last for more than 1 (one) month since its date of notice, then the party suffering from Force Majeure shall be entitled to terminate immediately the present Contract without prejudice by registered letter.

12 - HARDSHIP CLAUSE

The Parties are aware of the fact that this contract is fair and equitable. By mutual agreement, the Parties waive the article 1195 of the French Civil Code and accept to deal with risks associated with changing circumstances.

13 – PERSONAL DATA PROTECTION

The seller processes personal data (full name, address, email, phone number,...) of its buyer's contacts.

The purpose of personal data processing is to perform orders and manage the relationship between the seller and the buyer. These personal data may be shared with companies located within the EU: the other TRACTEL companies, Credit-Insurance companies, Business Element and Microsoft.

No transfer of personal data to third countries (outside European Union) or international organisations is intended.

The buyer undertakes to inform the seller of any update regarding the personal data of the data subject and to inform them of the content of this clause. The data subject benefits from the right to require access to, rectification, erasure of their personal data or restriction to processing of their personal data or to object to processing as well as the right to data portability by writing to rgpd.tsas@tractel.com

The data subject also has the right to lodge a complaint with the CNIL.

The seller undertakes to take appropriate technical measures in order to ensure security and confidentiality of personal data. The seller undertakes to keep personal data no longer than necessary for the purposes of this personal data processing and in any case for a maximum period of 3 years from the last products order to the seller.

14 – PUBLICITY

The seller and/or any other TRACTEL company will be authorised to issue marketing material, publicity, promotion or advertising in whatever form, regarding the goods and services object of the Order; this authorization may be suspended further to the buyer's request.

15 – JURISDICTION

By formal agreement, any disputes or difficulties relating to the construction or to the performance of the present order shall be under the JURISDICTION of the COMMERCIAL COURT of TROYES (10 – France). The present terms are governed by French law excluding the United Nations Convention on Contracts for the International Sale of Goods (Vienne, 1980).

A large, empty rectangular area with a light gray background, intended for a drawing or image. It occupies the central portion of the page, below the title and above the footer.






Safety harness
HT Access



Removable
X-Pad



Fall arrest device
Blocfor 20 Evo



Stainless steel trolley
Corso Cleantech



Manual chain hoists
Tralift Cleantech



Battery powered permanent magnet
Magfor auto



Blocks
EP

GLOBAL REACH



FRANCE **Tractel S.A.S.**

RD 619 Saint-Hilaire-sous-Romilly
BP 38 Romilly-sur-Seine
10102, France
Phone: +33 3 25 21 07 00
Email: info.tsas@tractel.com

www.tractel.com

